

Talis C
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
 Finish: **polished nickel** Part no. : **04216830**



Description


Features

- Swivel range 150°
- Aerated spray, needle spray
- Locking spray diverter (reverts to default spray mode upon valve closing)
- MagFit magnetic sprayhead docking
- Deck mounted
- Flow: 1.75 GPM (6.6 L/Min)
- Ceramic cartridge
- 3/8" connections
- Integrated double backflow prevention
- Extension length up to 19 5/8" (50cm)
- Single lever kitchen mixer, connection hoses, Fastening set, Assembly instructions

Technology




Compliance / Sustainability



Product image



Scale drawing




Talis C
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
 Finish: **polished nickel** Part no. : **04216830**



Exploded drawing

Year of production: >11/20



Talis C
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
Finish: **polished nickel** Part no. : **04216830**



Spare parts list

Year of production: >11/20

Pos.	Description	Part no.	PC	PU
1	handle	95900830	0	1
2	screw cover	96338000	0	1
3	flange	95498830	0	1
4	nut	97209000	0	1
5	cartridge, assy	92730000	0	1
6	locking screw for handle	95140000	0	1
7	seal	95008000	0	1
8	spout cpl.	95898830	0	1
9	fixing set (Ø 34)	95049000	0	1
10	weight	98551000	0	1
11	hose 1,50 m	88624000	0	1
12	connection hose 600 mm M10x1	95561000	0	1
13	filter	97735000	0	1
14	handspray	95899830	0	1
15	non return valve	95340000	0	1
16	set of non return valves DW 15	97350000	0	1
18	connection hose 35½" M8x0,75 3/8"	96316001	0	1