

Ecostat
Thermostatic Trim S with Volume Control
 Finish: **chrome** Part no. : **04230000**



Description


Features

- Volume control for 1 function
- Thermostatic cartridge, Ceramic cartridge
- Flow: 6.0 GPM (22.7 L/Min)
- Anti-scald 100° safety stop

Technology




Compliance / Sustainability



Product image



Scale drawing




Ecostat
Thermostatic Trim S with Volume Control
 Finish: **chrome** Part no. : **04230000**



Exploded drawing

Year of production: >12/09



Ecostat
Thermostatic Trim S with Volume Control

Finish: **chrome** Part no. : **04230000**

Spare parts list

Year of production: >12/09

Pos.	Description	Part no.	PC	PU
1	screw cover	95181000	0	1
2	adapter for handle	96435000	0	1
3	adapter for handle	96451000	0	1
4	escutcheon Ø 170 mm	96551001	0	1
5	O-Ring 48x3	95508000	0	1
6	sleeve	95550000	0	1
7	sleeve	96446000	0	1
8	sub plate	96447000	0	1
9	set of fixing screws	96454000	0	1
10	thermostat cartridge	94282000	0	1
11	sealing set	95037000	0	1
12	shut off unit right closing	94009000	0	1
13	set of screws	96525000	0	1
14	O-ring 16x2	98133000	0	1
15	set of non return valves DW 15	94074000	0	1
16	noise reduction	94073000	0	1
17	extension 25 mm	13595000	0	1
18	extension 22 mm (Ø 170 mm)	13596000	0	1
a	O-ring 29x3	98371000	0	1
b	hexagon socket screw M4x35	92160000	0	1