

Metris S Electronic Faucet with Preset Temperature Control

Finish: **chrome** Part no. : **31101001**



Description


Features

- Spray modes: aerated spray
- Flow: 0.5 GPM (1.9 L/Min)
- Pre-set temperature
- Infrared sensor
- Battery operated (battery type 6V CR-P2, included) with low battery indicator
- Flushing time: 10 seconds
- Frequency of hygiene rinse: 24 hours
- Flushing time hygiene rinse: 10 seconds
- 3/8" connections

Technology




Compliance / Sustainability



Product image



Scale drawing




Metris S
Electronic Faucet with Preset Temperature Control
 Finish: **chrome** Part no. : **31101001**



Exploded drawing

Year of production: >04/17



Metris S
Electronic Faucet with Preset Temperature Control
Finish: **chrome** Part no. : **31101001**



Spare parts list

Year of production: >04/17

Pos.	Description	Part no.	PC	PU
1	non return valve DW 10	96456000	0	1
2	battery CR-P2 / 6V lithium	97399000	0	1
3	aerator M24x1 (5 l/min)	98802000	0	1
4	solenoid valve	95654000	0	1
5	O-ring 31x2	98204000	0	1
6	battery box	98801000	0	1
7	fixing set	97812000	0	1
8	lever collar	97548000	0	1
9	service tool	98808000	0	1
10	O-ring 41x2	98212000	0	1
11	electronics	92346000	0	1
12	connection hose 450 mm	92345001	0	1
13	back flow preventor cartridge with microfilter	92297000	0	1
14	screw	93272000	0	1
a	aerator M24x1 (1,9 l/min)	93080000	0	1