

## Logis

### Single-Hole Faucet 110, 1.2 GPM

Finish: **brushed nickel** Part no. : **71253821**



## Description


### Features

- Handle variant: Lever
- Spray modes: aerated spray
- Flow: 1.2 GPM (4.5 L/Min)
- Ceramic cartridge

## Technology




## Compliance / Sustainability



## Product image



## Scale drawing




**Logis**  
**Single-Hole Faucet 110, 1.2 GPM**  
 Finish: **brushed nickel**    Part no. : **71253821**



## Exploded drawing

Year of production: >11/21



## Logis

### Single-Hole Faucet 110, 1.2 GPM

Finish: **brushed nickel** Part no. : **71253821**



## Spare parts list

Year of production: >11/21

| Pos. | Description                       | Part no. | PC | PU |
|------|-----------------------------------|----------|----|----|
| 2    | screw cover                       | 96338000 | 0  | 1  |
| 3    | flange                            | 98863820 | 0  | 1  |
| 4    | O-ring 24x2                       | 98388000 | 0  | 1  |
| 5    | nut                               | 98864000 | 0  | 1  |
| 6    | cartridge, assy                   | 97685000 | 0  | 1  |
| 7    | locking screw for handle          | 95140000 | 0  | 1  |
| 8    | seal                              | 98865000 | 0  | 1  |
| 9    | adapter for cartridge             | 98866000 | 0  | 1  |
| 10   | O-ring 23x2                       | 98398000 | 0  | 1  |
| 11   | aerator M24x1 (4,5 l/min)         | 94364001 | 0  | 1  |
| 12   | O-ring 30x1,5                     | 98433000 | 0  | 1  |
| 14   | flat seal                         | 98749000 | 0  | 1  |
| 15   | fixing set (Ø 32)                 | 13961000 | 0  | 1  |
| 16   | lever collar                      | 97548000 | 0  | 1  |
| 17   | connection hose 18½" M8x0,75 3/8" | 96321001 | 0  | 1  |
| 18   | O-ring 7x1,5                      | 98422000 | 0  | 1  |