

Talis S²
HighArc Kitchen Faucet, 2-Spray Pull-Down, 1.5 GPM
 Finish: **Steel Optic** Part no. : **04310801**



Description


Features

- Swivel range 150°
- Aerated spray, needle spray
- Non-locking spray diverter
- MagFit magnetic sprayhead docking
- Deck mounted
- Flow: 1.5 GPM (5.7 L/Min)
- Ceramic cartridge
- 3/8" connections
- Integrated double backflow prevention
- Extension length up to 19 5/8" (50cm)
- Single lever kitchen mixer, connection hoses, Fastening set, Assembly instructions

Technology




Compliance / Sustainability



Product image



Scale drawing




Talis S²
HighArc Kitchen Faucet, 2-Spray Pull-Down, 1.5 GPM
 Finish: **Steel Optic** Part no. : **04310801**



Exploded drawing

Year of production: >11/20



Talis S²
HighArc Kitchen Faucet, 2-Spray Pull-Down, 1.5 GPM
 Finish: **Steel Optic** Part no. : **04310801**



Spare parts list

Year of production: >11/20

Pos.	Description	Part no.	PC	PU
1	handle	95560800	0	1
2	screw cover	96338000	0	1
3	flange	95498800	0	1
4	nut	97209000	0	1
5	cartridge, assy	92730000	0	1
6	locking screw for handle	95140000	0	1
7	aerator M24x1 (15 l/min)	13913800	0	1
8	spray head cpl.	88658860	0	1
9	set of non return valves DW 15	97350000	0	1
10	filter	97735000	0	1
11	spout cpl.	95562800	0	1
12	fixing set (Ø 34)	95049000	0	1
13	weight	98551000	0	1
14	hose 1,50 m	88624000	0	1
15	connection hose 600 mm M10x1	95561000	0	1
16	connection hose 35½" M8x0,75 3/8"	96316001	0	1
20	seal	95008000	0	1
21	flow limiter / non return valve	95376000	0	1